

2022

600 X 600 mm
Porcelain tiles

3D MATT SERIES





6011



600 X 600 mm
Porcelain tiles



6017



600 X 600 mm
Porcelain tiles



6018



600 X 600 mm
Porcelain tiles



6022




600 X 600 mm
Porcelain tiles



6026



600 X 600 mm
Porcelain tiles



6028



600 X 600 mm
Porcelain tiles



6029



600 X 600 mm
Porcelain tiles



6034




600 X 600 mm
Porcelain tiles



6036




600 X 600 mm
Porcelain tiles



6037



600 X 600 mm
Porcelain tiles



6041




600 X 600 mm
Porcelain tiles



VCERA

TILES LLP



6044




600 X 600 mm
Porcelain tiles



6047



600 X 600 mm
Porcelain tiles



6048



600 X 600 mm
Porcelain tiles

Particulars	Standard as per ISO 13005/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	±3%	EN 98
Sireightness Of Sides	+ 0.5%	+ 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10545.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE 3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545 - 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	Nil	Nil	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note: Color shades may vary as per the variation in the printing process. All above technical specifications are provided for the reference purpose of the tile before ordering. Data is for the best case scenario. The accuracy of the information given hereon is the responsibility of the user. All rights reserved. All other trademarks and logos are the property of their respective owners. All other trademarks and logos are the property of their respective owners. All other trademarks and logos are the property of their respective owners.

PACKING DETAIL

Size	Thickness	No. OF Tiles	Area Approx.	Weight Approx.
600x600 mm	9 mm	4 Pcs.	1.44 Sq. Mtr.	28kg.

UTILITY OF FLOOR TILES

