

2022

600 X 600 mm  
Porcelain tiles

# PUNCH MATT SERIES

---





**VCERA**

TILES LLP



18001

600 X 600 mm  
Porcelain tiles





18002

600 X 600 mm  
Porcelain tiles





**VCERA**  
TILES LLP



18003

600 X 600 mm  
Porcelain tiles





18004

600 X 600 mm  
Porcelain tiles





18005



600 X 600 mm  
Porcelain tiles



18006

600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



18007



600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



18008

600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



18009

600 X 600 mm  
Porcelain tiles





**VCERA**  
TILES LLP



18010

600 X 600 mm  
Porcelain tiles





**VCERA**  
TILES LLP



18011

600 X 600 mm  
Porcelain tiles



  
**VCERA**  
TILES LLP



28001

**600 X 600 mm**  
Porcelain tiles





28002

600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



28003

600 X 600 mm  
Porcelain tiles





28004

600 X 600 mm  
Porcelain tiles








28005

600 X 600 mm  
Porcelain tiles






28006

600 X 600 mm  
Porcelain tiles





28007



600 X 600 mm  
Porcelain tiles



28008

600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



28009



600 X 600 mm  
Porcelain tiles



**VCERA**


TILES LLP



38001




600 X 600 mm  
Porcelain tiles




38002

600 X 600 mm  
Porcelain tiles





38003



600 X 600 mm  
Porcelain tiles





38004

600 X 600 mm  
Porcelain tiles



**VCERA**

TILES LLP



38005




600 X 600 mm  
Porcelain tiles



**VCERA**

TILES LLP




38006



600 X 600 mm  
Porcelain tiles



**VCERA**  
TILES LLP



38007



600 X 600 mm  
Porcelain tiles



38008

600 X 600 mm  
Porcelain tiles





48001

600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



48002

**600 X 600 mm**  
Porcelain tiles





**VCERA**

TILES LLP



48003

**600 X 600 mm**  
Porcelain tiles







48004

600 X 600 mm  
Porcelain tiles





48005

600 X 600 mm  
Porcelain tiles





48006

600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



48007



**600 X 600 mm**  
Porcelain tiles



48008




600 X 600 mm  
Porcelain tiles



48009

600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



58001

**600 X 600 mm**  
Porcelain tiles





**VCERA**

TILES LLP



58002



600 X 600 mm  
Porcelain tiles






58003

600 X 600 mm  
Porcelain tiles





58004

600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



58005

600 X 600 mm  
Porcelain tiles






58006




600 X 600 mm  
Porcelain tiles



58007



600 X 600 mm  
Porcelain tiles



58008


600 X 600 mm  
Porcelain tiles





**VCERA**

TILES LLP



58009

600 X 600 mm  
Porcelain tiles





**VCERA**  
TILES LLP



58010

600 X 600 mm  
Porcelain tiles







68001



68002



68003





68004



68005



68006





68007





68008





68009



68010





68011

Particulars	Standard as per ISO 13006/EN 178	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	+ 5%	+3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	+ 0.5%	+ 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE   3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545- 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	Nil	Nil	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note: Color shown in any sample as the indication of the printing process will vary. This section is not intended to be a technical specification for the tiles being shown. Data shown here is made to assist in the selection of the information given. However, the company reserves the right to change the specifications without prior notice. Some values are listed to guide the client in the selection of the tiles. It is suggested to check the tiles before purchase and apply the company color tolerance report to guide the selection.

PACKING DETAIL

Size	Thickness	No. OF Tiles	Area Approx.	Weight Approx.
600x600 mm	9 mm	4 Pcs.	1.44 Sq. Mtr.	28 kg.

UTILITY OF FLOOR TILES

